according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

SECTION 1: Identification of the substance/mixture and of the company/

Printing date 30.09.2015

Revision: 25.03.2021

undertaking 1.1 Product identifier Trade name: RED EPOXY KIT (WHITE PART) · Article number: 12001(W) · CAS Number: 68410-23-1 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Coating compound/ Surface coating/ paint • 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Highside Chemicals, Inc. 11114 Reichold Road Gulfport, MS 39503 USA Phone: (228) 896-9220 · 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585 **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H400, H410. T. corrosion Eye Dam. 1 H318 Causes serious eye damage. environment H400 Very toxic to aquatic life. Aquatic Acute 1 Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. H315 Causes skin irritation. Skin Irrit. 2 Skin Sens. 1 H317 May cause an allergic skin reaction. Additional information: There are no other hazards not otherwise classified that have been identified. 0 % of the mixture consists of component(s) of unknown toxicity. (Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 30.09.2015

Revision: 25.03.2021

Trade name: RED EPOXY KIT (WHITE PART)

(Cont'd. from page 1) · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the Globally Harmonized System within the United States (GHS). The substance is classified and labelled according to the CLP regulation. · Hazard pictograms The following pictogram(s) are only for use within Europe: GHS09. GHS05 GHS07 GHS09 Signal word Danger · Hazard-determining components of labelling: Liquid Polyamide Resin Hazard statements The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H410. H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. P261 P264 Wash thoroughly after handling. Wear protective gloves / eye protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. NFPA ratings (scale 0 - 4) Health = 2 Fire = 1Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 1 Fire = 1 FIRE **REACTIVITY** Reactivity = 0 · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 30.09.2015

Revision: 25.03.2021

(Cont'd. from page 2)

Trade name: RED EPOXY KIT (WHITE PART)

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

68410-23-1 Liquid Polyamide Resin

SECTION 4: First aid measures

· 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. • After inhalation: Supply fresh air. Seek medical treatment in case of complaints. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor, · After eye contact: Remove contact lenses if worn. Rinse opened eve for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. • 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions Gastric or intestinal disorders. Breathing difficulty Coughing Hazards No further relevant information available. · 4.3 Indication of any immediate medical attention and special treatment needed Treat skin and mucous membrane with antihistamine and corticoid preparations. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. If swallowed, gastric irrigation. Medical supervision for at least 48 hours. Later observation for pneumonia and pulmonary oedema.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 30.09.2015

Revision: 25.03.2021

(Cont'd. from page 3)

Trade name: RED EPOXY KIT (WHITE PART)

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information No further relevant information available.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Ensure adequate ventilation. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

 $^{\cdot}$ 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

• Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

• 7.3 Specific end use(s) No further relevant information available.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 30.09.2015

Revision: 25.03.2021

Trade name: RED EPOXY KIT (WHITE PART)

(Cont'd. from page 4)

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• **DNELs** No further relevant information available.

· **PNECs** No further relevant information available.

· 8.2 Exposure controls

Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Eye protection:**

Contact lenses should not be worn.



Safety glasses

· Body protection: Protective work clothing

- \cdot Limitation and supervision of exposure into the environment
- No further relevant information available.
- · Risk management measures

See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

- · Appearance:
 - Form:
 - Colour:

Fluid Not determined.

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 30.09.2015

Revision: 25.03.2021

Trade name: RED EPOXY KIT (WHITE PART)

Odour:	Characteristic	(Cont'd. from page
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not Determined. Undetermined.	
Flash point:	>260 °C (>500 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Self-igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate	0,97 g/cm³ (8,095 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 30.09.2015

Revision: 25.03.2021

Trade name: RED EPOXY KIT (WHITE PART)

(Cont'd. from page 6)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification: None.

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

· Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: Toxic for aquatic organisms

12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 30.09.2015

Revision: 25.03.2021

Trade name: RED EPOXY KIT (WHITE PART)

(Cont'd. from page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
 14.1 UN-Number DOT, ADR, IATA IMDG 14.2 UN proper shipping name DOT, ADR, IATA IMDG 	Not Regulated UN3082 Not Regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Liquid Polyamide Resin), MARINE POLLUTANT	
 14.3 Transport hazard class(es) 		
· DOT, ADR, IATA · Class	Not Regulated	
IMDG		
Class	9 Miscellaneous dangerous substances and articles.	
· Label · 14.4 Packing group	9	
DOT, ADR, IATA	Not Regulated III	
 14.5 Environmental hazards: Marine pollutant: 14.6 Special presentions for year 	Symbol (fish and tree)	
 14.6 Special precautions for user EMS Number: 	Not applicable. F-A.S-F	
• 14.7 Transport in bulk according to Annex II c	of	
Marpol and the IBC Code	Not applicable.	
· Transport/Additional information:		
ADR	Not regulated per SP 375.	
· IMDG · Limited quantities (LQ)	5 L	
·IATA	Not regulated per special provision A197. (Cont'd. on page 9)	

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 30.09.2015

Revision: 25.03.2021

Trade name: RED EPOXY KIT (WHITE PART)

· DOT

Not regulated per 171.4(2).

(Cont'd. from page 8)

SECTION 15: Regulatory information	
\cdot 15.1 Safety, health and environmental regulations/legislation specific for the \cdot United States (USA) \cdot SARA	e substance or mixtur
· Section 355 (extremely hazardous substances):	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
· TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
· Chemicals known to cause developmental toxicity:	
Substance is not listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
Substance is not listed.	
· IARC (International Agency for Research on Cancer)	
Substance is not listed.	
 TLV (Threshold Limit Value established by ACGIH) 	
Substance is not listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	
[·] Canada	
· Canadian Domestic Substances List (DSL)	
Substance is listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
Substance is not listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
Substance is not listed.	
	(Cont'd. on page

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 30.09.2015

Revision: 25.03.2021

Trade name: RED EPOXY KIT (WHITE PART)

(Cont'd. from page 9)

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I

Substance is not listed.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com