

1. Product and Company Identification

Product identifier	Pipe-Dri (4297-75)
Other means of identification	Not available
Recommended use	Insulation
Recommended restrictions	This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.
Manufacturer information	Nu-Calgon 2611 Schuetz Road St. Louis, MO 63043 US Phone: 314-469-7000 / 800-554-5499 Emergency Phone: 1-800-424-9300 (CHEMTREC)
Supplier	See above.

2. Hazards Identification

Physical hazards	Flammable aerosols	Category 1
	Gases under pressure	Liquefied gas
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Carcinogenicity	Category 2
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	
Label elements		



Signal word Danger

Hazard statement Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Obtain special instructions before use. Wear protective gloves/protective clothing/eye protection/face protection. Do not handle until all safety precautions have been read and understood. Do not breathe gas.

Response IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
IF exposed or concerned: Get medical advice/attention.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. Store in a well-ventilated place.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC) None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) None known

Hazard(s) not otherwise classified (HNOC) None known.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Methylene chloride		75-09-2	15-40*
Octadecanoic acid		57-11-4	1-5*
Octadecanoic acid, zinc salt		557-05-1	1-5*
Petroleum gases, liquefied, sweetened		68476-86-8	10-30*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Not likely, due to the form of the product. Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.
Most important symptoms/effects, acute and delayed	Dizziness. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Extremely flammable aerosol. Contents under pressure. Pressurized container may explode when exposed to heat or flame.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Hydrogen chloride.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Do not breathe gas. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not smoke while using or until sprayed surface is thoroughly dry. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not breathe gas. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Use only in well-ventilated areas. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not handle or store near an open flame, heat or other sources of ignition. Do not puncture, incinerate or crush. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Stored containers should be periodically checked for general condition and leakage. Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Methylene chloride (CAS 75-09-2)	TWA	174 mg/m ³ 50 ppm
Octadecanoic acid (CAS 57-11-4)	TWA	10 mg/m ³
Octadecanoic acid, zinc salt (CAS 557-05-1)	TWA	10 mg/m ³

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Methylene chloride (CAS 75-09-2)	TWA	25 ppm	
Octadecanoic acid (CAS 57-11-4)	TWA	10 mg/m ³	
Octadecanoic acid, zinc salt (CAS 557-05-1)	STEL	20 mg/m ³	Total dust.
	TWA	3 mg/m ³ 10 mg/m ³	Respirable fraction. Total dust.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Methylene chloride (CAS 75-09-2)	TWA	50 ppm	
Octadecanoic acid (CAS 57-11-4)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Octadecanoic acid, zinc salt (CAS 557-05-1)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	
Methylene chloride (CAS 75-09-2)	TWA	50 ppm	
Octadecanoic acid (CAS 57-11-4)	TWA	10 mg/m3	
Octadecanoic acid, zinc salt (CAS 557-05-1)	TWA	10 mg/m3	

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	
Methylene chloride (CAS 75-09-2)	TWA	174 mg/m3	
		50 ppm	
Octadecanoic acid, zinc salt (CAS 557-05-1)	TWA	10 mg/m3	

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Type	Value	
Methylene chloride (CAS 75-09-2)	STEL	125 ppm	
	TWA	25 ppm	

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Octadecanoic acid, zinc salt (CAS 557-05-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Methylene chloride (CAS 75-09-2)	TWA	50 ppm	
Octadecanoic acid (CAS 57-11-4)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Octadecanoic acid, zinc salt (CAS 557-05-1)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Octadecanoic acid, zinc salt (CAS 557-05-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Methylene chloride (CAS 75-09-2)	0.3 mg/L	Dichloromethane	Urine	*

* - For sampling details, please see the source document.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Impervious gloves. Confirm with reputable supplier first.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
Thermal hazards	Not applicable.
General hygiene considerations	When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

9. Physical and Chemical Properties

Appearance	Aerosol.
Physical state	Gas.
Form	Spray
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	1.21 - 1.25
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	55 - 65 psig
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	27-33 sec (Zahn Cup 1)
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC (Weight %)	85.57%

10. Stability and Reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Heat. Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Hydrogen chloride. Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Dizziness. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components	Species	Test Results
Methylene chloride (CAS 75-09-2)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	2700 mg/kg
	Rat	> 2000 mg/kg, Days
<i>Inhalation</i>		
LC50	Guinea pig	11600 ppm, 6 Hours, HSDB 40.2 mg/L, 6 Hours, HSDB
	Mouse	49000 mg/m ³ , 7 Hours 14400 ppm, 7 Hours, HSDB 56.2 mg/L, 7 Hours, HSDB 51.5 mg/L, 2 Hours, HSDB 49.1 mg/L, 6 Hours, HSDB
	Rat	76000 mg/l/4h 14250 mg/m ³ 2000 mg/L, 15 Minutes, HSDB 88 mg/L, 900 Days, HSDB 79 mg/L, 2 Hours, HSDB 52 mg/L, 6 Hours, HSDB
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg 1410 mg/kg
Octadecanoic acid (CAS 57-11-4)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA 5000 mg/kg, LOLI, CCOHS
<i>Inhalation</i>		
LC50	Rat	> 0.2 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 6000 mg/kg, ECHA > 5000 mg/kg, ECHA > 2000 mg/kg, ECHA

Components	Species	Test Results
		5000 mg/kg, CCOHS 4.6 g/kg, HSDB
Octadecanoic acid, zinc salt (CAS 557-05-1)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg 6800 mg/kg, 24 Hours
	Rat	2000 mg/kg
<i>Inhalation</i>		
LC50	Not available	
	Rat	> 200 mg/L, 1 Hours 5.9 mg/L, 4 Hours
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg >= 5000 mg/kg
Petroleum gases, liquefied, sweetened (CAS 68476-86-8)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Mouse	539600 ppm, 120 Minutes, ECHA 520400 ppm, 120 Minutes, ECHA 1237 mg/L, 120 Minutes, ECHA 57 %, 120 Minutes, ECHA 52 %, 120 Minutes, ECHA
	Rat	> 800000 ppm, 10 Minutes, ECHA 1442738 mg/m3, 10 Minutes, ECHA 1354944 mg/m3, 10 Minutes, ECHA 570000 ppm, 10 Minutes, ECHA 1443 mg/L, 10 Minutes, ECHA 1355 mg/L, 10 Minutes, ECHA
<i>Oral</i>		
LD50	Not available	
Skin corrosion/irritation	Causes skin irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
ACGIH sensitization		
Propylene oxide (CAS 75-56-9)		Dermal sensitization
Canada - Alberta OELs: Irritant		
Octadecanoic acid (CAS 57-11-4)		Irritant

Octadecanoic acid, zinc salt (CAS 557-05-1)	Irritant
Canada - British Columbia OELs: Respiratory or skin sensitiser	
Propylene oxide (CAS 75-56-9)	Capable of causing respiratory, dermal or conjunctival sensitization.
Canada - Manitoba OELs Hazard: Dermal sensitization	
Propylene oxide (CAS 75-56-9)	Dermal sensitization
Canada - Saskatchewan OELs Hazard Data: Sensitiser	
Propylene oxide (CAS 75-56-9)	Sensitizer.
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Methylene chloride is considered mutagenic based on positive results obtained in mice exposed by inhalation.
Carcinogenicity	Suspected of causing cancer. See below.
ACGIH Carcinogens	
Benzene, ethyl- (CAS 100-41-4)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Methylene chloride (CAS 75-09-2)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Propylene oxide (CAS 75-56-9)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Canada - Manitoba OELs: carcinogenicity	
DICHLOROMETHANE (CAS 75-09-2)	Confirmed animal carcinogen with unknown relevance to humans.
ETHYL BENZENE (CAS 100-41-4)	Confirmed animal carcinogen with unknown relevance to humans.
PROPYLENE OXIDE (CAS 75-56-9)	Confirmed animal carcinogen with unknown relevance to humans.
Canada - Quebec OELs: Carcinogen category	
Methylene chloride (CAS 75-09-2)	Suspected carcinogenic effect in humans.
Propylene oxide (CAS 75-56-9)	Suspected carcinogenic effect in humans.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Benzene, ethyl- (CAS 100-41-4)	Volume 77 - 2B Possibly carcinogenic to humans.
Methylene chloride (CAS 75-09-2)	Volume 71, Volume 110 - 2A Probably carcinogenic to humans.
Propylene oxide (CAS 75-56-9)	Volume 60 - 2B Possibly carcinogenic to humans.
US - California Proposition 65 - CRT: Listed date/Carcinogenic substance	
Benzene, ethyl- (CAS 100-41-4)	
Methylene chloride (CAS 75-09-2)	
Propylene oxide (CAS 75-56-9)	
US NTP Report on Carcinogens: Anticipated carcinogen	
Methylene chloride (CAS 75-09-2)	Reasonably Anticipated to be a Human Carcinogen.
Propylene oxide (CAS 75-56-9)	Reasonably Anticipated to be a Human Carcinogen.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Methylene chloride (CAS 75-09-2)	Cancer
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Teratogenicity	Not available.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components	Species	Test Results
Methylene chloride (CAS 75-09-2)		
Algae	IC50	Algae 500 mg/L, 72 Hours
Crustacea	EC50	Daphnia 1689.5 mg/L, 48 Hours
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) 1250 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 140.8 - 277.8 mg/L, 96 hours

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	
Mobility in soil	No data available.
Mobility in general	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation)

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
---	--

U.S. Department of Transportation (DOT)

Basic shipping requirements:


UN number	UN1950
Proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity)
Hazard class	Limited Quantity - US
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number	UN1950
Proper shipping name	AEROSOLS, flammable, containing substances in Class 6.1, packing group III
Hazard class	Limited Quantity - Canada
Special provisions	80
Packaging exceptions	< 0.125 L - Limited Quantity

DOT; TDG



15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.
-------------------------------------	--

Canada CEPA Schedule I: Listed substance

Methylene chloride (CAS 75-09-2)	Listed.
Octadecanoic acid, zinc salt (CAS 557-05-1)	Listed.
Propylene oxide (CAS 75-56-9)	Listed.

Canada DSL Challenge Substances: Listed substance

Propylene oxide (CAS 75-56-9)	Listed.
-------------------------------	---------

Canada Priority Substances List (Second List): Listed substance

Octadecanoic acid, zinc salt (CAS 557-05-1)	Listed.
---	---------

Canada SNAC Reporting Requirements: Listed substance/Publication date

Propylene oxide (CAS 75-56-9) 12/21/2011 Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) All components of this material are on the TSCA Inventory. This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

CERCLA Hazardous Substance List (40 CFR 302.4)

Benzene, ethyl- (CAS 100-41-4) Listed.

Methylene chloride (CAS 75-09-2) Listed.

Octadecanoic acid, zinc salt (CAS 557-05-1) Listed.

Propylene oxide (CAS 75-56-9) Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Propylene oxide (CAS 75-56-9) 100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Methylene chloride (CAS 75-09-2)

- Cancer
- Heart
- Central nervous system
- Liver
- Skin irritation
- Eye irritation

Superfund Amendments and Reauthorization Act of 1986 (SARA)**Hazard categories**

Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - Yes
 Pressure Hazard - Yes
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous chemical

No

SARA 313 (TRI reporting)

Chemicalname	CASnumber	%bywt.
Methylene chloride	75-09-2	15-40*
Octadecanoic acid, zinc salt	557-05-1	1-5*

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Benzene, ethyl- (CAS 100-41-4)
 Methylene chloride (CAS 75-09-2)
 Propylene oxide (CAS 75-56-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Propylene oxide (CAS 75-56-9)

US state regulations

See below

US - California Hazardous Substances (Director's): Listed substance

Benzene, ethyl- (CAS 100-41-4) Listed.
 Methylene chloride (CAS 75-09-2) Listed.
 Octadecanoic acid, zinc salt (CAS 557-05-1) Listed.
 Propylene oxide (CAS 75-56-9) Listed.

US - Illinois Chemical Safety Act: Listed substance

Benzene, ethyl- (CAS 100-41-4)
 Methylene chloride (CAS 75-09-2)
 Octadecanoic acid, zinc salt (CAS 557-05-1)
 Propylene oxide (CAS 75-56-9)

US - Louisiana Spill Reporting: Listed substance

Benzene, ethyl- (CAS 100-41-4) Listed.
 Methylene chloride (CAS 75-09-2) Listed.
 Octadecanoic acid, zinc salt (CAS 557-05-1) Listed.

Propylene oxide (CAS 75-56-9) Listed.

US - Michigan Critical Materials Register: Parameter number

Methylene chloride (CAS 75-09-2) METHYLENE CHLORIDE

Octadecanoic acid, zinc salt (CAS 557-05-1) ZINC

US - Minnesota Haz Subs: Listed substance

Benzene, ethyl- (CAS 100-41-4) Listed.

Methylene chloride (CAS 75-09-2) Listed.

Octadecanoic acid (CAS 57-11-4) Listed.

Octadecanoic acid, zinc salt (CAS 557-05-1) Listed.

Propylene oxide (CAS 75-56-9) Listed.

US - New Jersey RTK - Substances: Listed substance

Benzene, ethyl- (CAS 100-41-4)

Methylene chloride (CAS 75-09-2)

Octadecanoic acid, zinc salt (CAS 557-05-1)

Propylene oxide (CAS 75-56-9)

US - North Carolina Toxic Air Pollutants: Listed substance

Methylene chloride (CAS 75-09-2)

US - Pennsylvania RTK - Hazardous Substances: Special hazard

Methylene chloride (CAS 75-09-2)

Propylene oxide (CAS 75-56-9)

US - Texas Effects Screening Levels Hazard Data: Simple asphyxiant

Petroleum gases, liquefied, sweetened (CAS 68476-86-8)

US - Texas Effects Screening Levels: Listed substance

Benzene, ethyl- (CAS 100-41-4) Listed.

Methylene chloride (CAS 75-09-2) Listed.

Octadecanoic acid (CAS 57-11-4) Listed.

Octadecanoic acid, zinc salt (CAS 557-05-1) Listed.

Petroleum gases, liquefied, sweetened (CAS 68476-86-8) Listed.

Propylene oxide (CAS 75-56-9) Listed.

US - Washington Chemical of High Concern to Children: Listed substance

Benzene, ethyl- (CAS 100-41-4)

Methylene chloride (CAS 75-09-2)

US. Massachusetts RTK - Substance List

Benzene, ethyl- (CAS 100-41-4)

Methylene chloride (CAS 75-09-2)

Octadecanoic acid, zinc salt (CAS 557-05-1)

Propylene oxide (CAS 75-56-9)

US. New Jersey Worker and Community Right-to-Know Act

Benzene, ethyl- (CAS 100-41-4)

Methylene chloride (CAS 75-09-2)

Octadecanoic acid, zinc salt (CAS 557-05-1)

Propylene oxide (CAS 75-56-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Benzene, ethyl- (CAS 100-41-4)

Methylene chloride (CAS 75-09-2)

Octadecanoic acid, zinc salt (CAS 557-05-1)

Propylene oxide (CAS 75-56-9)

US. Rhode Island RTK

Benzene, ethyl- (CAS 100-41-4)

Methylene chloride (CAS 75-09-2)

Octadecanoic acid, zinc salt (CAS 557-05-1)

Propylene oxide (CAS 75-56-9)

US. California Proposition 65



WARNING: This product can expose you to Methylene chloride, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Benzene, ethyl- (CAS 100-41-4) Listed: June 11, 2004

Methylene chloride (CAS 75-09-2) Listed: April 1, 1988

Propylene oxide (CAS 75-56-9) Listed: October 1, 1988

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region

Inventory name

On inventory (yes/no)*

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory


Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	*	2
FLAMMABILITY		4
PHYSICAL HAZARD		0
PERSONAL PROTECTION		X



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

26-August-2019

Version #

1.1

Effective date

26-August-2019

Prepared by

Nu-Calgon Technical Service Phone: (314) 469-7000

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.