



**VAPCO PRODUCTS, INC.**

**Safety Data Sheet  
Regular Bubbles**

---

**SECTION 1: Identification**

**GHS Product identifier**

Product name	Regular Bubbles
Product number	LDR-1, LDR-1/2P, LDR-1Q
Brand	Vapco

**Recommended use of the chemical and restrictions on use**

Above-Freezing Leak Detector

**Supplier's details**

Name	Vapco Products, Inc.
Address	401 Marshall Road Valley Park, Missouri 63088 United States
Telephone	(636) 923-2121
Fax	(636) 923-3002
email	info@VapcoProducts.com

**Emergency phone number**

(800) 255-3924

---

**SECTION 2: Hazard identification**

**Classification of the substance or mixture**

**GHS classification in accordance with: OSHA (29 CFR 1910.1200)**

- Eye damage/irritation, Cat. 1
- Specific target organ toxicity (repeated exposure), Cat. 2

**GHS label elements, including precautionary statements**

**Pictogram**

# Safety Data Sheet



## Signal word

## Warning

### Hazard statement(s)

H318  
H373

Causes serious eye damage  
May cause damage to organs through prolonged or repeated exposure

### Precautionary statement(s)

P201  
P202  
P260  
P264  
P280  
P302+P352  
P305+P351+P338  
  
P308+P313  
P310  
P314  
P321  
P332+P313  
P362+P364  
P405  
P501

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash hands and other exposed areas thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF ON SKIN: Wash with plenty of water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
Immediately call a POISON CENTER/doctor if exposed or concerned.  
Get medical advice/attention if you feel unwell.  
Specific treatment (see First Aid on this label).  
If skin irritation occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
Store locked up.  
Dispose of contents/container to the specifications of local, regional, national, and international regulations.

---

## SECTION 3: Composition/information on ingredients

### Mixtures

#### Hazardous components

##### 1. Coconut Diethanolamine

Concentration	1 - 10 % (weight)
EC no.	271-657-0
CAS no.	68603-42-9

##### 2. Diethanolamine

Concentration	1 - 10 % (weight)
EC no.	203-868-0
CAS no.	111-42-2
Index no.	603-071-00-1

---

## SECTION 4: First-aid measures

### Description of necessary first-aid measures

#### General advice

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

## Safety Data Sheet

If inhaled	First, take proper precautions to ensure your own safety before attempting rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in a position comfortable for breathing. Get medical advice/attention.
In case of skin contact	Immediately drench affected area with water for at least 15 minutes. Remove contaminated clothing immediately. Obtain medical attention if irritation develops or persists.
In case of eye contact	Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
If swallowed	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### Most important symptoms/effects, acute and delayed

**Symptoms/Injuries:** Harmful if inhaled. Causes serious eye and skin irritation.

**Symptoms/Injuries After Skin Contact:** Contact may cause severe irritation with burns. Dermatitis may occur due to long-term irritation.

**Symptoms/Injuries After Eye Contact:** Contact causes severe irritation with redness and swelling of conjunctiva. Contact with gas/liquid escaping the container can cause permanent eye damage.

### Indication of immediate medical attention and special treatment needed, if necessary

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

---

## SECTION 5: Fire-fighting measures

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Specific hazards arising from the chemical

Reactivity: May react with oxidizing agents, copper, zinc, and iron.

### Special protective actions for fire-fighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use dry chemical, foam, or carbon dioxide (CO<sub>2</sub>). Do not breathe fumes from fire or vapors from decomposition. Do NOT fight fire when fire reaches containers. Evacuate area. Fight fire remotely due to the risk of explosion. Shut off all sources of ignition. Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. Wear NIOSH-approved Self-Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

**Hazardous Combustion Products:** Carbon and nitrogen oxides

### Further information

Do not allow run-off from fire fighting to enter drain or water courses.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapors, spray, mist, gas. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

## Safety Data Sheet

**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so.

### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedure:** Eliminate ignition source first, then ventilate the area. Evacuate unnecessary personnel, isolate, and ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### **Environmental precautions**

Prevent entry into sewers and public waters. Avoid release to the environment.

### **Methods and materials for containment and cleaning up**

**Methods For Containment:** Ventilate area. Contain any spills with dikes or absorbents to prevent further migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Eliminate all ignition sources. Ventilate area. Stop the ignition source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering. Take up liquid spill into absorbent material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

**Waste Disposal:** Dispose of in accordance with local, regional, national, and international regulations. Containers may be hazardous when empty. Do not flame cut, braze, or weld.

### **Reference to other sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

---

## SECTION 7: Handling and storage

### **Precautions for safe handling**

**Additional Hazards When Processed:** Do not pressurize, cut, or weld containers. Do not pierce or burn, even after use.

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Do not breathe gas, mist, spray, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not spray on open flame or other ignition source.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

**Other Precautions:** Keep out of reach of children. Follow label instructions.

### **Conditions for safe storage, including any incompatibilities**

**Technical Measures:** Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

**Storage Conditions:** Store in a dry, cool place. Keep only in the original container in a cool, well-ventilated place away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

**Incompatible Materials:** Oxidizing agents, copper, zinc, and iron.

**Storage Temperature:** <50°C/122°F.

### **Specific end use(s)**

Above-Freezing Leak Detector

---

## SECTION 8: Exposure controls/personal protection

### **Control parameters**

CAS: 111-42-2 (EC: 203-868-0)

## Safety Data Sheet

Diethanolamine

ACGIH (USA): 1 mg/m<sup>3</sup> TWA inhalation; Cal/OSHA (USA): 0.46 ppm, 2 mg/m<sup>3</sup> PEL inhalation; NIOSH (USA): 3 ppm, 15 mg/m<sup>3</sup> TWA inhalation

### Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment. Proper grounding procedures to avoid static electricity should be followed. Use only outdoors or in well-ventilated area. Ensure all local, regional, national, and international regulations are observed. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

### Individual protection measures, such as personal protective equipment (PPE)

#### Pictograms



#### Eye/face protection

Chemical safety goggles. Insufficient ventilation: wear respiratory protection. Respiratory protection of the dependent type.

#### Skin protection

Wear protective gloves and clothing.

#### Body protection

Wear suitable protective clothing. Wear protective gloves. Chemical resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

#### Respiratory protection

Use a NIOSH-approved Self-Containing Breathing Apparatus whenever exposure may exceed established Occupational Exposure Limits.

---

## SECTION 9: Physical and chemical properties and safety characteristics

### Basic physical and chemical properties

Physical state	Liquid
Appearance	Turbid liquid
Color	Pink
Odor	Bland odor
Odor threshold	N/D
Melting point/freezing point	N/D
Boiling point or initial boiling point and boiling range	> 212°F (100°C)
Flammability	Not considered a flammable liquid by OSHA (29CFR 1910.1200)
Lower and upper explosion limit/flammability limit	N/D
Flash point	N/D
Auto-ignition temperature	N/D
Decomposition temperature	N/D
pH	8.5-9.5
Kinematic viscosity	135 cPs
Solubility	Completely soluble in water

## Safety Data Sheet

Partition coefficient n-octanol/water (log value)	N/D
Vapor pressure	20 mm Hg
Evaporation rate	< 1
Density and/or relative density	1.01
Relative vapor density	> 2

### Particle characteristics

N/A

---

## SECTION 10: Stability and reactivity

### Reactivity

None known.

### Chemical stability

Stable under normal conditions of use.

### Possibility of hazardous reactions

None known.

### Conditions to avoid

None known.

### Incompatible materials

Oxidizing agents, Copper, Zinc, Iron.

### Hazardous decomposition products

Carbon and nitrogen oxides.

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

Diethanolamine

LD50 Oral - Rat - 1,600 mg/kg

LD50 Skin - Rabbit - 12,200 mg/kg

LD50 Intraperitoneal - Rat - 120 mg/kg

LD50 Intravenous - Rat - 778 mg/kg

LC50 - Pimephales promelas (fathead minnow) - 1,460 mg/l - 96 h

EC50 - Daphnia magna (water flea) - 30.1 mg/l - 48 h

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes eye irritation.

#### Respiratory or skin sensitization

None known.

#### Germ cell mutagenicity

None known.

## Safety Data Sheet

### Carcinogenicity

None known.

### Reproductive toxicity

None known.

### STOT-single exposure

None known.

### STOT-repeated exposure

May cause damage to liver and kidneys.

### Aspiration hazard

No information available.

### Additional information

**Symptoms/Injuries:** Harmful if inhaled. Causes serious eye and skin irritation.

**Symptoms/Injuries After Skin Contact:** Contact can cause severe irritation with burns. Dermatitis may occur due to long-term irritation.

**Symptoms/Injuries After Eye Contact:** Contact causes severe irritation with redness and swelling of conjunctiva. Contact with gas/liquid escaping the container can cause permanent eye damage.

---

## SECTION 12: Ecological information

### Toxicity

Diethanolamine

LD50 Oral - Rat - 1,600 mg/kg

LD50 Skin - Rabbit - 12,200 mg/kg

LD50 Intraperitoneal - Rat - 120 mg/kg

LD50 Intravenous - Rat - 778 mg/kg

LC50 - Pimephales promelas (fathead minnow) - 1,460 mg/l - 96 h

EC50 - Daphnia magna (water flea) - 30.1 mg/l - 48 h

### Persistence and degradability

Component or components of this product are not biodegradable.

### Bioaccumulative potential

This product is not expected to bioaccumulate.

### Mobility in soil

This product is mobile in soil.

---

## SECTION 13: Disposal considerations

### Disposal methods

#### Product disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations. Do not pierce or burn, even after use.

#### Sewage disposal

Avoid release into the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## Safety Data Sheet

### Other disposal recommendations

Container may remain hazardous when empty. Continue to observe all precautions. Do not puncture or incinerate container.

---

## SECTION 14: Transport information

### DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

### IATA

Not dangerous goods

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

#### Massachusetts Right To Know Components

Diethanolamine

CAS number: 111-42-2

#### New Jersey Right To Know Components

Diethanolamine

CAS number: 111-42-2

#### Pennsylvania Right To Know Components

Diethanolamine

CAS number: 111-42-2

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Diethanolamine

CAS-No. 111-42-2

#### Toxic Substances Control Act (TSCA) Inventory

All chemicals are listed or exempt.

---

## SECTION 16: Other information

N/A = Not applicable; N/D = Not determined

### Further information/disclaimer



## **Safety Data Sheet**

To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

### **Preparation information**

Prepared by: Jessica Wilson

Date Prepared: 5-12-2022

