

# Sherlock Leak Detector Lowtemp

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

Date of issue: August 30, 2015 Supersedes: 020311 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : Sherlock Leak Detector Lowtemp  
 Product code : LT  
 Other means of identification : Lowtemp

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Leak testing

#### 1.3. Details of the supplier of the safety data sheet

Winton Products Company Inc.  
 2500 West Blvd.  
 Charlotte, NC, 28236  
 United States of America  
 T 704-399-5151 - F 704-392-5389  
[wintonprod@aol.com](mailto:wintonprod@aol.com) - <http://www.wintonproducts.com>

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - 1-800-424-9300 (24h)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US, GHS-CA)

Acute Tox. 4 (Oral)	H302
Eye Irrit. 2A	H319 -
Skin Sens. 1	H317 -
Carc. 2	H351 -
STOT SE 2	H371
STOT RE 2	H373
Asp. Tox. 1	H304

Full text of H-phrases: see section 16

##### WHMIS Classification

D1B, D2A – Carcinogen, D2B – Skin and Eye irritant, Skin Sensitizer (WHMIS 1998)

#### 2.2. Label elements

##### GHS-US and GHS-CA labeling

Hazard pictograms (GHS-US, GHS-CA) :



GHS07

GHS08

Signal word (GHS-US, GHS-CA) :

Danger

Hazard statements (GHS-US, GHS-CA) :

H302 - Harmful if swallowed  
 H304 - May be fatal if swallowed and enters airways  
 H317 - May cause an allergic skin reaction  
 H319 - Causes serious eye irritation  
 H351 - Suspected of causing cancer  
 H371 - May cause damage to organs  
 H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US, GHS-CA) :

P201 - Obtain special instructions before use  
 P202 - Do not handle until all safety precautions have been read and understood  
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
 P264 - Wash clothing, hands, forearms and face thoroughly after handling

# Sherlock Leak Detector Lowtemp

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

P270 - Do not eat, drink or smoke when using this product  
P272 - Contaminated work clothing must not be allowed out of the workplace  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P310 - If swallowed: Immediately call a doctor or POISON CENTER  
P302 + P352 - If on skin: Wash with plenty of water  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308 + P313 - If exposed or concerned: Get medical advice/attention  
P314 - Get medical advice/attention if you feel unwell  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P363 - Wash contaminated clothing before reuse  
P405 - Store locked up  
P501 - Dispose of contents/container to an approved waste disposal plant

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US/CA)

1.3% of the mixture consists of ingredient(s) of unknown acute toxicity (oral)  
2% of the mixture consists of ingredient(s) of unknown acute toxicity (dermal)  
52% of the mixture consists of ingredient(s) of unknown acute toxicity (inhalation)

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US/CA)
Ethylene glycol	(CAS No) 107-21-1	55-65	Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320 STOT SE 2, H371 STOT RE 2, H373 Asp. Tox. 1, H304
Triethanolamine dodecylbenzenesulfonate	(CAS No) 27323-41-7	<1.3	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
COCAMIDE DEA	(CAS No) 68603-42-9	< 0.6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 2, H351
2,2'-iminodiethanol, diethanolamine	(CAS No) 111-42-2	< 0.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Carc. 2, H351

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. Call a physician immediately  
First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
First-aid measures after skin contact : Remove contaminated clothing and shoes. Gently wash with plenty of mild soap and water. If skin irritation or rash occurs: Get medical advice/attention.  
First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.  
First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

# Sherlock Leak Detector Lowtemp

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	:	May cause damage to organs (central nervous system (May cause drowsiness or dizziness), kidneys, liver).
Symptoms/injuries after inhalation	:	May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	:	May cause an allergic skin reaction.
Symptoms/injuries after eye contact	:	Causes eye irritation including burning, redness, tearing, etc.
Symptoms/injuries after ingestion	:	Swallowing this material may result in a serious health hazard. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.
Chronic symptoms	:	May cause drowsiness or dizziness.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Contains ethylene glycol, physician should administer ethanol or fomepizole (Antizol) to competitively inhibit metabolism of ethylene glycol to its more toxic metabolites.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	:	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	:	Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	:	Not flammable.
Explosion hazard	:	Not expected to be a fire/explosion hazard under normal conditions of use.
Reactivity	:	Stable under normal conditions.

### 5.3. Advice for firefighters

Firefighting instructions	:	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid allowing fire-fighting water to enter environment.
Protection during firefighting	:	Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	:	Evacuate unnecessary personnel.
----------------------	---	---------------------------------

#### 6.1.2. For emergency responders

Protective equipment	:	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. Avoid breathing mist, spray, vapors. Avoid contact with skin and eyes. For further information refer to section 8 Exposure controls/personal protection.
Emergency procedures	:	Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment	:	Contain and/or absorb spill with inert material (sand), then place in suitable container.
Methods for cleaning up	:	Wipe up with absorbent material (for example cloth). Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	:	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid breathing mist, spray, vapors. Avoid contact with skin and eyes.
Hygiene measures	:	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

# Sherlock Leak Detector Lowtemp

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	:	Keep only in original container. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.
Incompatible products	:	Strong bases. strong acids, oxidizing and reducing agents, isocyanates, nitrosating agents.
Incompatible materials	:	None known.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Ethylene glycol (107-21-1)		
ACGIH	ACGIH CEILING (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup> (Aerosol only)
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Notice of Intended Changes)
ACGIH	Remark (ACGIH)	URT & eye irr
OSHA	Not applicable	

Diethanolamine (111-42-2)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (Inhalable Fraction and Vapor)
ACGIH	Remark (ACGIH)	Skin
OSHA	Not applicable	

ACGIH: American Conference of Governmental Industrial Hygienists, TWA: Time Weighted Average, OSHA: Occupational Safety and Health Administration, URT: Upper Respiratory Tract, irr: irritation.

### 8.2. Exposure controls

Appropriate engineering controls	:	Not necessary with sufficient ventilation.
Personal protective equipment	:	Avoid all unnecessary exposure. Wash hands, forearms and face thoroughly after handling. Gloves. Protective goggles. Apron.
Hand protection	:	Wear protective gloves.
Eye protection	:	Chemical goggles or safety glasses.
Skin and body protection	:	Chemical resistant apron.
Respiratory protection	:	Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
Other information	:	Do not breathe mist, vapor, or spray. Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	Clear.
Color	:	Red
Odor	:	Characteristic
Odor threshold	:	Not available
pH	:	Not available
Relative evaporation rate (butyl acetate=1)	:	Not available
Relative evaporation rate (water=1)	:	3.1
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	215°F, 102 °C
Flash point	:	>100°C
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
Flammability (solid, gas)	:	Not applicable

# Sherlock Leak Detector Lowtemp

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

Vapor pressure	: 17.5 mm Hg
Relative vapor density at 20 °C	: 1.15 (air=1)
Relative density	: 1.014 (water = 1)
Density	: Not available
Solubility	: Water: 100 %
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available.
Oxidizing properties	: No data available.
Explosion limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Not applicable

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong bases. strong acids, oxidizing and reducing agents, isocyanates, nitrosating agents.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide, nitrogen oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Likely routes of exposure : Ingestion; Inhalation; Skin and eye contact.

Acute toxicity : Oral: Harmful if swallowed. (Ethylene glycol can be more toxic in humans than in animals.)

Ethylene glycol (107-21-1)	
LD50 oral rat	4000 mg/kg
LD50 dermal rabbit	9530 mg/kg
LC50 inhalation rat (mg/l)	2725 mg/m <sup>3</sup>

Diethanolamine (111-42-2)	
LD50 oral rat	680 mg/kg female
LD50 dermal rabbit	8180 mg/kg male
LC50 inhalation rat (mg/l)	Not available

Cocamide DEA (68603-42-9)	
LD50 oral rat	12400 µl/kg
LD50 dermal rabbit	Not available
LC50 inhalation rat (mg/l)	Not available

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

# Sherlock Leak Detector Lowtemp

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

Germ cell mutagenicity	:	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	:	Suspected of causing cancer. (Diethanolamine and Cocamide DEA – IARC Group 2B – Possibly Carcinogenic to Humans)
Reproductive toxicity	:	Animal data has shown that ethylene glycol may cause teratogenicity and embryotoxicity but only at VERY high oral doses which are not anticipated to occur in occupational settings. Not classified (Conclusive but not sufficient for classification)
Specific target organ toxicity (single exposure)	:	May cause damage to organs (central nervous system, kidneys).
Specific target organ toxicity (repeated exposure)	:	May cause damage to organs (central nervous system, kidneys, liver) through prolonged or repeated exposure.

### Ethylene glycol (107-21-1)

NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day
NOAEL (subacute, oral, rat/male, 21-28 days)	200 mg/kg bodyweight/day
NOAEL (subacute, oral, rat/female, 21-28 days)	200 mg/kg bodyweight/day
NOAEL (subacute dermal dog/male, 21-28 days)	> 2000 mg/kg body weight Dog/ day

Aspiration hazard	:	May be fatal if swallowed and enters airways.
Potential Adverse human health effects and symptoms	:	Harmful if swallowed.
Symptoms/injuries after inhalation	:	May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	:	May cause an allergic skin reaction.
Symptoms/injuries after eye contact	:	Causes eye irritation which may include burning, redness, tearing, etc.
Symptoms/injuries after ingestion	:	Swallowing this material may result in a serious health hazard. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.
Chronic symptoms	:	May cause drowsiness or dizziness.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	:	Not determined.
-------------------	---	-----------------

### Ethylene glycol (107-21-1)

LC50 fish	72860 mg/L/96h (Static)
EC50 Daphnia	> 100 mg/L/48h (Static)
ErC50 Algae (growth rate)	6500 - 13000 mg/L/96h
NOEC chronic fish	15380 mg/L/7d, (Static)
NOEC chronic Daphnia	8590 mg/L/7d, (Static)

LC50: Lethal Concentration, 50%, EC50: Effective Concentration, 50%, ErC50: Effective Concentration – growth rate, 50%, NOEC: No Observed Effect Concentration

### 12.2. Persistence and degradability

#### Sherlock Leak Detector Lowtemp

Persistence and degradability	Not established.
-------------------------------	------------------

### 12.3. Bioaccumulative potential

#### Sherlock Leak Detector Lowtemp

Bioaccumulative potential	Not established.
---------------------------	------------------

### 12.4. Mobility in soil

#### Sherlock Leak Detector Lowtemp

Ecology - soil	Not determined.
----------------	-----------------

### 12.5. Other adverse effects

Other information	:	Avoid release to the environment.
-------------------	---	-----------------------------------

# Sherlock Leak Detector Lowtemp

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### US Department of Transportation (DOT)

Not a dangerous good for transport

#### Canadian Transportation of Dangerous Goods Act/Regulations (TDG)

Not a dangerous good for transport

#### Transport by sea

Not determined

#### Air transport

Not determined

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations


##### USA

#### Sherlock Leak Detector Lowtemp

USA OSHA Hazard Communication Standard  
(According to Federal Register/ Vol. 77, No.58/ Mon  
Mar 26, 2012/Rules & Regulations)

Classified as a hazardous product. See Section 2 for details.

National Fire Protection Association® (NFPA®)  
Classification



American Coatings Association (ACA)  
Hazardous Materials Identification System ®  
(HMIS ®) III  
Classification

Health	3*
Flammability	1
Physical Hazard	0
Personal Protection	C

# Sherlock Leak Detector Lowtemp

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

### 15.2. International regulations

#### CANADA

##### Sherlock Leak Detector Lowtemp

WHMIS 2015 – GHS

Classified as a hazardous product/ See Section 2 for details.

WHMIS Classification 1998 (Controlled products Regulations)

Class D1B - Toxic material causing immediate and serious toxic effects  
Class D2A - Very Toxic Material causing other toxic effects - Carcinogenicity  
Class D2B - Toxic material causing other toxic effects – Skin and Eye irritant, Skin sensitizer

This product has been classified in accordance with the hazard criteria of the **Controlled Products Regulations** and the MSDS contains all the information required by the **Controlled Products Regulations**.

#### National regulations

No additional information available

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

Indication of changes	: New Safety Data Sheet (SDS).
Data sources	: GHS-US, GHS-CA classification parameters. References available upon request.
Other information	: None.
Date	: August 30, 2015

Full text of H-phrases::

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 2	Specific target organ toxicity (single exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H371	May cause damage to organs
H373	May cause damage to organs through prolonged or repeated exposure

SDS USA and SDS Canada (GHS)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*



## WINTON PRODUCTS CO.,INC. -- SHERLOCK LEAK DETECTOR-TYPE I -- 6850-00-621-1820

## ===== Product Identification =====

Product ID:SHERLOCK LEAK DETECTOR-TYPE I

MSDS Date:03/01/1995

FSC:6850

NIIN:00-621-1820

MSDS Number: BJPLQ

=== Responsible Party ===

Company Name:WINTON PRODUCTS CO.,INC.

Address:2500 WEST BLVD.

Box:36332

City:CHARLOTTE

State:NC

ZIP:28236

Country:US

Info Phone Num:704-399-5151

Emergency Phone Num:704-399-5151

CAGE:23316

=== Contractor Identification ===

Company Name:WINTON PRODUCTS CO.,INC.

Address:2500 WEST BLVD.

Box:36332

City:CHARLOTTE

State:NC

ZIP:28236

Country:US

Phone:704-399-5151

CAGE:23316

## ===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS PER 29CFR PART 1910 SUBPART Z

Fraction by Wt: NA

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT ESTABLISHED.

ACGIH TLV:NOT ESTABLISHED.

## ===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE DETERMINED.

## ===== First Aid Measures =====

First Aid:SKIN CONTACT-FLUSH W/WATER.INGEST-EMPTY STOMACH AND SEE  
PHYSICIAN.EYE CONTACT-FLUSH W/COPIOUS AMTS OF WATER.

## ===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:NONE

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NP

Upper Limits:NP

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP W/RAGS OR OTHER ABSORBENT AMTLS THEN  
PLACE RAGS IN DISPOSABLE CONTAINER.COMplete CLEAN UP W/WATER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY PLACE ABOVE 32F. CAP  
TIGHTLY TO PREVENT EVAPORATION.  
Other Precautions:DO NOT INGEST,SPRAY IN EYES OR CONTACT W/SKIN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE  
Ventilation:NONE  
Protective Gloves:NON-ABSORBENT.  
Eye Protection:GOGGLES OR FACESHIELD.  
Other Protective Equipment:PROTECTIVE APRON.  
Work Hygienic Practices:OBSERVE ALL SAFE HANDLING PRACTICES.  
Supplemental Safety and Health  
USE AS DIRECTED.

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:212F,100C  
Melt/Freeze Pt:M.P/F.P Text:NA  
Decomp Temp:Decomp Text:NP  
Vapor Pres:17.54  
Vapor Density:1.1832  
Spec Gravity:1.006  
pH:NP  
Viscosity:NP  
Evaporation Rate & Reference:1, WATER=1  
Solubility in Water:100% SOLUBLE  
Appearance and Odor:YELLOW, CLEAR LIQUID, ODORLESS.  
Percent Volatiles by Volume:NP  
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF PRODUCT IN ACCORDANCE WITH COUNTY,  
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.